

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	84	717/123.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:16
S2	50	717/104,105.ccls. and (sequence near (chart or diagram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:19
S3	89	717/131-133,154-157.ccls. and (analy\$4 with (static or source) with (object or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:52
S4	7	US-5963739-\$.DID. OR US-6330527-\$.DID. OR US-6557011-\$.DID. OR US-6594783-\$.DID. OR US-20030088854-\$.DID. OR US-20030212984-\$.DID. OR US-20040031015-\$.DID.	US-PGPUB; USPAT	OR	ON	2006/11/07 11:12
S5	100	717/143.ccls. and ((call\$3 or interact\$3 or messag\$3) with (object or class)) and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:00
S6	1225	(generat\$3 or construct\$3 or build\$3 or creat\$3 or produc\$3) with (sequence near (chart or diagram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 13:01
S7	107	S6 and (program or static or source) with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:55
S8	64	S7 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:07
S9	13	S6 and (reverse near engineer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 13:07

EAST Search History

S10	8	S9 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 10:14
S11	2715	(generat\$3 or construct\$3 or build\$3 or creat\$3 or produc\$3) with (object or class) with (interact\$3 or sequence or activity or messag\$3 or call\$3) with (model or graph or chart or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:56
S12	615	S11 and (program or static or source) with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 13:07
S13	97	S11 and (reverse near engineer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:37
S14	496	(S12 or S13) and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 13:08
S16	15647	(identif\$3 or determin\$3 or extract\$3) with (object or class) with (interact\$4 or relation\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:17
S17	63	S16 with source near (code or program or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:20
S18	53	S17 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:43
S19	145	(complex or nested) near (method or function) near call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 10:12

EAST Search History

S20	105	S19 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:30
S21	36	(replac\$3 or substitut\$3) with (method or function) near call with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:31
S22	30	S21 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:22
S23	250	design near recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:27
S24	158	S23 and (class or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:22
S25	124	S24 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:57
S26	13	(reverse near engineer\$3) with (object near oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:37
S27	246	(program or static or source) with analy\$4 with (object near oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:55
S28	141	S27 and (generat\$3 or construct\$3 or build\$3 or creat\$3 or produc\$3) with (model or graph or chart or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:56
S29	110	S28 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:31

EAST Search History

S30	4	(US-6851107-\$ or US-6976243-\$ or US-7055131-\$ or US-7055130-\$). did.	USPAT	OR	ON	2006/11/08 12:21
S31	52	(reduc\$4 or separat\$3 or split\$4) with (complex or nested) with (function or method) with call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:35
S34	44	S31 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:39
S35	87	(replac\$3 or substitut\$3) with (method or function) with call with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:32
S36	22	(S35 not S21) and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:32
S38	12	(decompos\$5 or partition\$3) with (complex or nested) with (function or method) with call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:38
S39	6	S38 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 09:57
S40	37	717/136,137.ccls. and (method or function) with call with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:54
S41	25	S40 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:55
S42	331	(replac\$3 or substitut\$3) with (argument or parameter) with (method or function or procedure) with (variable or symbol or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 09:55

EAST Search History

S43	219	S42 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 11:10
S45	331	(insert\$3 or replac\$3 or substitut\$3) with (temporary or phase or abstract) with (variable or symbol or identifier) with (method or function or procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:48
S47	244	S45 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 11:11
S48	16204	(expression or sub\$1expression) near (eliminat\$3 or remov\$3 or reduc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:49
S49	99	S48 and (temporary or phase or abstract) near (variable or symbol or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:47
S50	89	S49 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:47
S51	9455	(expression or ((method or procedure or function) near call\$3)) with (expan\$4 or decompos\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:03
S52	150	S51 and (temporary or phase or abstract or intermediate) near (variable or symbol or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:04
S53	121	S52 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:04
S54	169	(method or procedure or function) near (argument or parameter) with (expan\$4 or decompos\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:03

EAST Search History

S55	2456	(method or procedure or function) with (argument or parameter) with (expan\$4 or decompos\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:03
S56	44	S55 and (temporary or phase or abstract or intermediate) near (variable or symbol or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:04
S57	165	(S54 or S56) and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:05
S58	183	(complex or nested) near (method or function or procedure) near call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:43
S59	126	S58 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 10:14
S60	510	pars\$3 with (method or function or procedure) near call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:00
S61	79	S60 with (parameter or argument)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:45
S62	60	S61 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:46
S63	2	S60 with (cast\$3 or type\$1cast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:46
S64	1	S63 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:09

EAST Search History

S67	172	(identif\$7 or analy\$6 or determin\$5 or pars\$3) with (method or function or procedure) with (parameter or argument) with (cast\$3 or type\$1cast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:09
S68	132	S67 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:15
S69	660	source near code near analy\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:14
S70	159	S69 and (object near oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:14
S71	113	S70 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:29
S72	1	"6199198".pn.	USPAT	OR	ON	2006/12/13 16:29
S73	8249	(call\$3 or method or function or procedure) near chain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 09:29
S74	346	S73 and (static or source) with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 09:29
S75	55	S74 and (object near oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 09:30
S76	41	S75 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 09:30

EAST Search History

S77	52	717/133.ccls. and (static or source) and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 09:32
S78	407	UML and sequence near diagram and condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 16:27
S79	224	S78 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 16:27
S81	102	(determin\$3 or identif\$4) with (method or function) with call with (user or custom) with (API or standard or library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:06
S82	73	S81 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:07